

Enhanced Category 5 UTP Module



Features & Benefits

- ✘ Suitable for Gigabit Ethernet applications
- ✘ Manufactured in the UK
- ✘ Unique colour coded saddle allows quick and accurate terminations
- ✘ Top quality sockets
- ✘ Interchangeable with other modules and 1/4 blanks
- ✘ Individually QA tested

Enhanced Category 5 modules offer exceptional performance for high speed LANs including Gigabit Ethernet Applications. Optimum transmission has been achieved by incorporating the highest quality components and innovative on-board compensation techniques.

The attractive high gloss finish and easy to use labelling system make them popular with both installers and end users alike. Installation is made easy with the unique colour coded cable saddle and the use of industry standard IDC's.

Enhanced Category 5 modules can be fitted into Single or Dual Category 5 faceplates and can be combined with quarter blanks and/or voice modules to provide the required configuration.

Enhanced Category 5 modules offer extended PowerSum characteristics and exceed the TIA/EIA-568-B specifications. When combined with Enhanced Category 5 patch Panels and UTP cable the link will perform well in excess of the Enhanced Category 5 specification.

Ordering Information

Product Description	Part Number
Enhanced Category 5 UTP RJ45 Module	008-001-001-25
Standard Single Gang Faceplate	008-001-002-05
Standard Dual Gang Faceplate	008-001-003-05
Elite Standard Single Gang Faceplate	008-001-002-01
Elite Standard Dual Gang Faceplate	008-001-003-02
1/4 Blank	008-001-004-05

Specification

Width	25mm
Depth	35mm
Height	50mm
Faceplate Depth	15mm
Back-box Depth	Minimum 24mm recommended
Mounting Hole Size	25.40mm x 47.80mm
Material	Polycarbonate / ABS thermoplastic resin, with grade UL94 VO at 1.5mm flame retardancy
Finish	High gloss
IDC Labels	Individual colour coded labels to EIA258A/568B
Cable Guide	Individual cable saddles with cable tie position for left or right cable entry
Sockets	Unshielded vertical jacks
IDC Blocks	4 Way Industry Standard IDC blocks
PCB	1.6mm double sided PTH boards
Conforms to	TIA/EIA-568-B Enhanced Category 5 specification



Elite Faceplates